












[illegible]

|  |  |
|--|--|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |



|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|






















|  |  |    |  |
|--|--|--------------------------------------------------------------------------------------|--|
|  |  |    |  |
|  |  |   |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |



|  |  |                                                                                      |  |
|--|--|--------------------------------------------------------------------------------------|--|
|  |  |    |  |
|  |  |    |  |
|  |  |    |  |
|  |  |   |  |
|  |  |  |  |





















2026.6.26.2049 CAN / CAN FD 报文信息


| 绝对时间      | 计数   | 通道    | 标识符 | 帧率  | 报文名称 | 类型  | ... | DLC | 数据长度 | BRS | ESI | 00 01 02 |
|-----------|------|-------|-----|-----|------|-----|-----|-----|------|-----|-----|----------|
| 98.479355 | 1123 | CAN 1 | 111 | 100 |      | 数据帧 | Tx  | 8   | 8    | -   | -   | 00 00 00 |
| 98.479355 | 1123 | CAN 3 | 111 | 100 |      | 数据帧 | Rx  | 8   | 8    | -   | -   | 00 00 00 |
| 98.475893 | 300  | CAN 3 | 333 | 100 |      | FD  | Tx  | 8   | 8    | 0   | 0   | 00 00 00 |
| 98.486393 | 301  | CAN 1 | 333 | 100 |      | FD  | Rx  | 8   | 8    | 0   | 0   | 00 00 00 |



列表计数: 4 总数量: 2600 0 %














|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|



10月10日

10月10日

10月10日

10月10日



## 关于我们

### 解决方案

1. 网络、自动化测试系统、外部测试设备  
2. 网络、自动化测试系统、外部测试设备  
3. 网络、自动化测试系统、外部测试设备

1. 网络、自动化测试系统、外部测试设备  
2. 网络、自动化测试系统、外部测试设备  
3. 网络、自动化测试系统、外部测试设备

